

**Table S1. Percentage distributions of the quantitative questions included in the questionnaire at 1 month after delivery and related to the average weekly alcohol consumption during the whole pregnancy.**

Alcoholic beverages	Never	Less than once per month	1-3 times per month	Once per week	2-4 times per week	5-6 times per week	1 time per day	2-3 times per day	4-5 times per day	More than 5 times per day
White wine, sparkling wine, champagne, n=604 (1 glass)*	45.7	28.5	12.6	7.8	3.6	1.2	0.5	-	0.2	-
Red wine, n=602 (1 glass)*	48.7	21.6	13.1	7.8	5.3	1.5	1.8	0.2	-	-
Beer, n=601 (1 can)	44.1	20.1	16.6	12.0	5.3	1.0	0.8	-	-	-
Alcoholic aperitifs: e. g. vermouth, campari, n=604 (1 glass)*	88.9	7.9	2.0	1.0	0.2	-	-	-	-	-
Digestifs, sweet liqueurs, n=605 (1 small glass)*	81.2	14.0	3.1	1.3	0.3	-	-	-	-	-
Spirits (whisky, cognac, grappa, etc.), n=605 (1 small glass)*	91.6	6.8	1.2	0.5	-	-	-	-	-	-

*1 glass= 125 ml; 1 small glass of spirits =30 ml*

**Table S2. Distribution of composite scores of 18-month-old children and weekly alcohol intake during pregnancy.**

	N	Mean±SD	Minimum	1 <sup>st</sup> percentile	5 <sup>th</sup> percentile	10 <sup>th</sup> percentile	25 <sup>th</sup> percentile	Median	75 <sup>th</sup> percentile	90 <sup>th</sup> percentile	95 <sup>th</sup> percentile	99 <sup>th</sup> percentile	Maximum
<b>Cognitive composite score</b>	602	106±8	75	90	95	95	100	105	110	115	120	125	130
<b>Language composite score</b>	602	98±9	47	77	86	89	91	97	103	109	112	115	121
<b>Motor composite score</b>	602	101±6	67	85	94	94	97	100	107	110	110	115	115
<b>Alcoholic drinks per week during pregnancy</b>	605	1.6±3.3	0	0	0	0	0	0.3	1.4	4.5	8	14.3	40



