

Supplementary Material

**Samra et al. Genetic forms of primary progressive aphasia within the GENetic
Frontotemporal dementia Initiative cohort – comparison with sporadic primary
progressive aphasia.**

Supplementary Table 1 Clinical features of the *C9orf72*-PPA and *MAPT*-PPA cases

	<i>C9orf72</i>	<i>MAPT</i>
Mutation	N/A	P397S
Clinical syndrome	PPA-NOS	svPPA
Age at onset	50s	50s
Progressive aphasia severity scale sum of boxes	6	3.5
Impaired articulation	Absent	Absent
Decreased fluency	Mild	Absent
Impaired grammar/syntax	Mild	Absent
Impaired word retrieval	Mild	Moderate
Impaired speech repetition	Moderate	Absent
Impaired sentence comprehension	Mild	Absent
Impaired single word comprehension	Absent	Mild
Dyslexia	Absent	Absent
Dysgraphia	Absent	Absent
Impaired function communication	Mild	Very mild/questionable
BNT (/30)	11	16
mCCT (/32)	15	25
Other symptoms	Apathy	Disinhibition Abnormal trusting behaviour Impaired episodic memory Apathy

Supplementary Table 2 Results summary of the ordinal logistic regression comparing linguistic symptoms across the PPA groups. P-values are shown in parentheses. Abbreviations: *GRN*-NFV, nonfluent variant PPA due to progranulin mutation; *GRN*-NOS, not otherwise specified PPA due to progranulin mutation; LV, logopenic variant PPA; NFV, nonfluent variant PPA; SV, semantic variant PPA. Higher score in each symptom means more impaired.

	Genetic PPA		Sporadic PPA		
	<i>GRN</i>-NFV	<i>GRN</i>-NOS	LV	NFV	SV
Impaired articulation	Higher than <i>GRN</i> -NOS (0.001), LV (<0.001), SV (<0.001)	N/A	Higher than SV (0.002)	Higher than <i>GRN</i> -NOS, LV, and SV (<0.001)	N/A
Decreased fluency	Higher than LV and SV (<0.001)	Higher than SV (<0.001)	Higher than SV (0.038)	Higher than LV and SV (<0.001)	N/A
Impaired grammar/syntax	Higher than LV and SV (<0.001)	Higher than LV (0.012) and SV (<0.001)	N/A	Higher than LV and SV (<0.001)	N/A
Impaired word retrieval	N/A	N/A	N/A	N/A	N/A
Impaired speech repetition	Higher than SV (0.003)	Higher than SV (0.014)	Higher than SV (<0.001)	Higher than SV (<0.001)	N/A
Impaired sentence comprehension	N/A	Higher than <i>GRN</i> -NFV (0.026)	N/A	N/A	Higher than <i>GRN</i> -NFV (0.036)
Impaired single word comprehension	N/A	N/A	Higher than <i>GRN</i> -NFV (0.036)	N/A	Higher than <i>GRN</i> -NFV, LV, and NFV (<0.001), and <i>GRN</i> -NOS (0.005)
Dyslexia	N/A	N/A	N/A	N/A	Higher than <i>GRN</i> -NOS (0.012)
Dysgraphia	Higher than <i>GRN</i> -NOS and LV (0.002), and SV (0.009)	N/A	N/A	Higher than <i>GRN</i> -NOS (0.031) and LV (0.045)	N/A
Impaired function communication	Higher than SV (<0.001)	N/A	N/A	Higher than <i>GRN</i> -NOS (0.006), LV (0.001), and SV (<0.001)	N/A

Supplementary Table 3 Mean (standard deviation) severity scores for the non-linguistic symptoms. Abbreviations: *GRN*-NFV, nonfluent variant PPA due to progranulin mutation; *GRN*-NOS, not otherwise specified PPA due to progranulin mutation; LV, logopenic variant PPA; NFV, nonfluent variant PPA; SV, semantic variant PPA. Bold items are significantly different to controls.

	Controls	Genetic PPA		Sporadic PPA		
		<i>GRN</i>-NFV	<i>GRN</i>-NOS	LV	NFV	SV
Behavioural symptoms						
Disinhibition	0.0 (0.1)	0.2 (0.3)	0.2 (0.4)	0.1 (0.2)	0.2 (0.4)	1.0 (0.8)
Apathy	0.0 (0.0)	0.9 (0.6)	0.8 (0.8)	0.7 (0.8)	0.6 (0.5)	0.5 (0.7)
Loss of sympathy/empathy	0.0 (0.0)	0.4 (0.4)	0.4 (0.5)	0.4 (0.7)	0.8 (0.8)	1.1 (0.8)
Ritualistic/compulsive behaviour	0.0 (0.0)	0.2 (0.3)	0.2 (0.7)	0.0 (0.0)	0.7 (0.8)	0.9 (0.9)
Hyperorality and appetite changes	0.0 (0.2)	0.8 (0.8)	0.7 (0.9)	0.4 (0.5)	0.9 (0.9)	1.1 (0.9)
Poor response to emotional cues	0.0 (0.0)	0.2 (0.4)	0.6 (0.7)	0.3 (0.7)	0.9 (0.9)	0.8 (0.9)
Inappropriate trusting behaviour	0.0 (0.1)	0.3 (0.4)	0.2 (0.7)	0.0 (0.6)	0.1 (0.7)	0.9 (0.7)
Neuropsychiatric symptoms						
Visual hallucinations	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.1 (0.2)	0.0 (0.0)	0.0 (0.1)
Auditory hallucinations	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
Tactile hallucinations	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
Delusions	0.0 (0.1)	0.1 (0.2)	0.1 (0.2)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)
Depression	0.0 (0.2)	0.6 (0.5)	0.3 (0.4)	0.8 (0.6)	1.1 (0.8)	0.8 (0.8)
Anxiety	0.0 (0.1)	0.9 (0.8)	0.7 (0.6)	1.0 (0.7)	1.3 (0.7)	0.8 (0.7)
Irritability/lability	0.0 (0.1)	0.4 (0.4)	0.5 (0.7)	0.9 (0.7)	1.2 (0.8)	0.6 (0.7)
Agitation/aggression	0.0 (0.0)	0.1 (0.2)	0.3 (0.4)	0.2 (0.4)	0.6 (0.8)	0.2 (0.5)
Euphoria/elation	0.0 (0.0)	0.1 (0.2)	0.1 (0.2)	0.2 (0.3)	0.0 (0.0)	0.2 (0.5)
Aberrant motor behaviour	0.0 (0.0)	0.3 (0.4)	0.0 (0.0)	0.1 (0.2)	0.7 (1.0)	0.2 (0.5)
Hypersexuality	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.3 (0.7)
Hyperreligiosity	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.0 (0.0)	0.2 (0.5)
Impaired sleep	0.1 (0.2)	0.3 (0.5)	0.3 (0.5)	0.4 (0.5)	0.8 (0.9)	0.6 (0.9)
Altered sense of humour	0.0 (0.0)	0.4 (0.7)	0.3 (0.4)	0.2 (0.3)	0.5 (0.7)	1.1 (0.7)

<i>Motor symptoms</i>						
Dysarthria	0.0 (0.0)	0.8 (1.4)	0.1 (0.2)	0.3 (0.4)	1.6 (1.2)	0.0 (0.0)
Dysphagia	0.0 (0.0)	0.1 (0.2)	0.0 (0.0)	0.0 (0.0)	0.5 (0.7)	0.0 (0.11)
Tremor	0.0 (0.2)	0.2 (0.4)	0.1 (0.3)	0.1 (0.3)	0.4 (0.7)	0.1 (0.2)
Slowness	0.0 (0.1)	0.4 (0.7)	0.2 (0.7)	0.3 (0.6)	0.8 (1.0)	0.1 (0.2)
Weakness	0.0 (0.0)	0.1 (0.2)	0.0 (0.0)	0.1 (0.3)	0.3 (0.9)	0.0 (0.0)
Gait disorder	0.0 (0.1)	0.4 (0.7)	0.1 (0.3)	0.1 (0.3)	0.8 (0.8)	0.1 (0.3)
Falls	0.0 (0.0)	0.1 (0.2)	0.2 (0.4)	0.2 (0.4)	0.4 (0.7)	0.1 (0.3)
Functional difficulties using hands	0.0 (0.0)	0.1 (0.2)	0.0 (0.0)	0.0 (0.0)	0.7 (1.1)	0.1 (0.2)


Supplementary Table 4 Volumes (as a percentage of total intracranial volume, in mm³) of cortical and subcortical brain regions in the genetic and sporadic primary progressive aphasia (PPA) subgroups as well as healthy controls. All data are shown as mean (standard deviation).

Abbreviations: GRN-NFV, nonfluent variant PPA due to progranulin mutation; GRN-NOS, not otherwise specified PPA due to progranulin mutation; LV, logopenic variant PPA; NFV, nonfluent variant PPA; SV, semantic variant PPA. Bold items are significantly different to controls.

		Controls	Genetic PPA		Sporadic PPA		
			GRN-NFV	GRN-NOS	LV	NFV	SV
Orbitofrontal	Left	0.71 (0.05)	0.63 (0.07)	0.60 (0.10)	0.67 (0.06)	0.68 (0.07)	0.67 (0.09)
	Right	0.71 (0.04)	0.73 (0.06)	0.72 (0.10)	0.71 (0.04)	0.71 (0.08)	0.74 (0.07)
Dorsolateral							
Prefrontal Cortex	Left	2.71 (0.17)	2.07 (0.22)	2.21 (0.38)	2.38 (0.13)	2.37 (0.28)	2.62 (0.36)
	Right	2.66 (0.20)	2.32 (0.17)	2.52 (0.28)	2.44 (0.12)	2.41 (0.30)	2.67 (0.26)
Ventromedial							
Prefrontal Cortex	Left	0.68 (0.05)	0.63 (0.07)	0.62 (0.11)	0.69 (0.04)	0.66 (0.07)	0.63 (0.09)
	Right	0.81 (0.06)	0.83 (0.11)	0.82 (0.10)	0.88 (0.06)	0.81 (0.09)	0.82 (0.08)
Motor	Left	1.37 (0.10)	1.09 (0.11)	1.20 (0.17)	1.26 (0.11)	1.16 (0.10)	1.33 (0.13)
	Right	1.37 (0.10)	1.27 (0.10)	1.31 (0.12)	1.32 (0.11)	1.16 (0.14)	1.38 (0.12)
Opercular	Left	0.37 (0.03)	0.28 (0.03)	0.33 (0.05)	0.35 (0.03)	0.35 (0.04)	0.37 (0.04)
	Right	0.37 (0.03)	0.32 (0.05)	0.37 (0.03)	0.35 (0.02)	0.35 (0.04)	0.38 (0.03)
Medial Temporal	Left	0.96 (0.06)	0.96 (0.09)	0.95 (0.08)	0.86 (0.08)	0.97 (0.09)	0.71 (0.07)
	Right	0.97 (0.06)	1.00 (0.08)	0.99 (0.07)	0.95 (0.06)	1.01 (0.08)	0.91 (0.08)
Lateral Temporal	Left	2.26 (0.14)	1.92 (0.25)	2.02 (0.37)	1.68 (0.12)	2.04 (0.24)	1.58 (0.21)
	Right	2.29 (0.12)	2.22 (0.26)	2.28 (0.10)	1.97 (0.20)	2.21 (0.23)	2.11 (0.17)
Temporal Pole	Left	0.50 (0.05)	0.45 (0.07)	0.45 (0.10)	0.41 (0.09)	0.44 (0.06)	0.26 (0.05)
	Right	0.48 (0.05)	0.47 (0.06)	0.51 (0.05)	0.47 (0.06)	0.47 (0.07)	0.35 (0.06)
Supratemporal	Left	0.39 (0.04)	0.35 (0.09)	0.36 (0.05)	0.30 (0.05)	0.37 (0.06)	0.34 (0.04)
	Right	0.35 (0.03)	0.34 (0.04)	0.36 (0.01)	0.33 (0.03)	0.34 (0.05)	0.35 (0.04)
Medial Parietal	Left	0.64 (0.06)	0.63 (0.09)	0.63 (0.12)	0.60 (0.06)	0.65 (0.08)	0.68 (0.07)
	Right	0.64 (0.07)	0.65 (0.06)	0.68 (0.08)	0.63 (0.07)	0.65 (0.10)	0.74 (0.08)
Lateral Parietal	Left	1.78 (0.12)	1.48 (0.25)	1.64 (0.21)	1.43 (0.11)	1.65 (0.18)	1.72 (0.21)
	Right	1.78 (0.12)	1.65 (0.13)	1.83 (0.11)	1.58 (0.10)	1.66 (0.20)	1.86 (0.13)
Sensory	Left	0.70 (0.07)	0.67 (0.10)	0.74 (0.06)	0.68 (0.04)	0.66 (0.11)	0.72 (0.07)
	Right	0.63 (0.07)	0.68 (0.08)	0.67 (0.06)	0.63 (0.07)	0.59 (0.08)	0.67 (0.06)
Medial Occipital	Left	1.29 (0.10)	1.33 (0.07)	1.35 (0.19)	1.22 (0.15)	1.27 (0.12)	1.32 (0.11)

	Right	1.33 (0.14)	1.45 (0.08)	1.42 (0.18)	1.39 (0.19)	1.35 (0.15)	1.46 (0.11)
Lateral Occipital	Left	1.14 (0.12)	1.09 (0.10)	1.10 (0.18)	0.94 (0.16)	1.01 (0.11)	1.09 (0.12)
	Right	1.10 (0.13)	1.09 (0.10)	1.12 (0.20)	0.98 (0.12)	0.99 (0.11)	1.14 (0.10)
Anterior Cingulate	Left	0.38 (0.04)	0.31 (0.05)	0.32 (0.06)	0.36 (0.04)	0.34 (0.04)	0.33 (0.05)
	Right	0.29 (0.04)	0.24 (0.05)	0.27 (0.05)	0.26 (0.03)	0.25 (0.04)	0.26 (0.05)
Posterior Cingulate	Left	0.32 (0.03)	0.32 (0.03)	0.29 (0.05)	0.33 (0.04)	0.32 (0.04)	0.34 (0.03)
	Right	0.31 (0.02)	0.33 (0.03)	0.31 (0.04)	0.34 (0.04)	0.32 (0.04)	0.36 (0.03)
Anterior Insula	Left	0.24 (0.03)	0.16 (0.03)	0.18 (0.04)	0.20 (0.02)	0.20 (0.03)	0.17 (0.03)
	Right	0.25 (0.02)	0.20 (0.04)	0.22 (0.03)	0.22 (0.02)	0.22 (0.03)	0.22 (0.03)
Posterior Insula	Left	0.11 (0.01)	0.09 (0.01)	0.10 (0.02)	0.09 (0.01)	0.10 (0.02)	0.08 (0.01)
	Right	0.12 (0.01)	0.11 (0.02)	0.12 (0.01)	0.10 (0.01)	0.11 (0.02)	0.11 (0.01)
Amygdala	Left	0.12 (0.01)	0.12 (0.01)	0.11 (0.01)	0.10 (0.01)	0.11 (0.01)	0.07 (0.01)
	Right	0.12 (0.01)	0.12 (0.01)	0.11 (0.00)	0.11 (0.01)	0.12 (0.01)	0.10 (0.01)
Hippocampus	Left	0.26 (0.02)	0.25 (0.03)	0.24 (0.02)	0.22 (0.03)	0.25 (0.03)	0.20 (0.02)
	Right	0.27 (0.02)	0.27 (0.04)	0.27 (0.02)	0.25 (0.02)	0.26 (0.03)	0.25 (0.03)
Nucleus Accumbens	Left	0.04 (0.00)	0.04 (0.00)	0.04 (0.00)	0.04 (0.00)	0.04 (0.00)	0.03 (0.00)
	Right	0.04 (0.00)	0.04 (0.00)	0.04 (0.00)	0.04 (0.00)	0.04 (0.00)	0.03 (0.00)
Caudate	Left	0.22 (0.03)	0.18 (0.02)	0.21 (0.03)	0.24 (0.04)	0.21 (0.03)	0.21 (0.03)
	Right	0.23 (0.03)	0.22 (0.03)	0.23 (0.04)	0.25 (0.03)	0.23 (0.02)	0.24 (0.02)
Globus Pallidus	Left	0.14 (0.01)	0.12 (0.01)	0.12 (0.01)	0.12 (0.01)	0.11 (0.01)	0.11 (0.01)
	Right	0.14 (0.01)	0.12 (0.01)	0.13 (0.01)	0.12 (0.01)	0.12 (0.01)	0.12 (0.01)
Putamen	Left	0.30 (0.02)	0.24 (0.03)	0.26 (0.03)	0.27 (0.02)	0.26 (0.03)	0.25 (0.03)
	Right	0.30 (0.02)	0.26 (0.03)	0.28 (0.03)	0.27 (0.02)	0.27 (0.03)	0.28 (0.03)
Thalamus	Left	0.37 (0.02)	0.34 (0.02)	0.36 (0.03)	0.38 (0.02)	0.36 (0.03)	0.35 (0.03)
	Right	0.36 (0.02)	0.35 (0.03)	0.37 (0.03)	0.37 (0.02)	0.36 (0.03)	0.37 (0.03)
Cerebellum		7.02 (0.66)	6.53 (0.82)	6.97 (0.31)	6.64 (0.40)	6.61 (0.84)	6.82 (0.37)

Supplementary Figure 1 Flow chart showing inclusion of PPA participants in the study. Abbreviations: GRN-NFV, nonfluent variant PPA due to progranulin mutation; GRN-NOS, not otherwise specified PPA due to a progranulin mutation; lvPPA, logopenic variant PPA; nfvPPA, nonfluent variant PPA; svPPA, semantic variant PPA.



Supplementary Appendix. GENFI Consortium Affiliations

- Sónia Afonso - Instituto Ciencias Nucleares Aplicadas a Saude, Universidade de Coimbra, Coimbra, Portugal;
- Maria Rosario Almeida - Faculty of Medicine, University of Coimbra, Coimbra, Portugal;
- Sarah Anderl-Straub – Department of Neurology, University of Ulm, Ulm, Germany;
- Christin Andersson - Department of Clinical Neuroscience, Karolinska Institutet, Stockholm, Sweden;
- Anna Antonell - Alzheimer's disease and Other Cognitive Disorders Unit, Neurology Service, Hospital Clínic, Barcelona, Spain;
- Silvana Archetti - Biotechnology Laboratory, Department of Diagnostics, ASST Brescia Hospital, Brescia, Italy;
- Andrea Arighi - Fondazione IRCCS Ca' Granda Ospedale Maggiore Policlinico, Neurodegenerative Diseases Unit, Milan, Italy; University of Milan, Centro Dino Ferrari, Milan, Italy;
- Mircea Balasa - Alzheimer's disease and Other Cognitive Disorders Unit, Neurology Service, Hospital Clínic, Barcelona, Spain;
- Myriam Barandiaran - Cognitive Disorders Unit, Department of Neurology, Donostia University Hospital, San Sebastian, Gipuzkoa, Spain; Neuroscience Area, Biodonostia Health Research Institute, San Sebastian, Gipuzkoa, Spain;
- Nuria Bargalló - Imaging Diagnostic Center, Hospital Clínic, Barcelona, Spain;
- Robart Bartha - Department of Medical Biophysics, The University of Western Ontario, London, Ontario, Canada; Centre for Functional and Metabolic Mapping, Robarts Research Institute, The University of Western Ontario, London, Ontario, Canada;
- Benjamin Bender - Department of Diagnostic and Interventional Neuroradiology, University of Tübingen, Tübingen, Germany;
- Alberto Benussi - Centre for Neurodegenerative Disorders, Department of Clinical and Experimental Sciences, University of Brescia, Italy;
- Maxime Bertoux – Inserm 1172, Lille, France; CHU, CNR-MAJ, Labex Distalz, LiCEND Lille, France;
- Anne Bertrand - Sorbonne Université, Paris Brain Institute – Institut du Cerveau – ICM, Inserm U1127, CNRS UMR 7225, AP-HP - Hôpital Pitié-Salpêtrière, Paris, France; Inria, Aramis project-team, F-75013, Paris, France; Centre pour l'Acquisition et le Traitement des Images, Institut du Cerveau et la Moelle, Paris, France
- Valentina Bessi - Department of Neuroscience, Psychology, Drug Research, and Child Health, University of Florence, Florence, Italy;
- Sandra Black - Sunnybrook Health Sciences Centre, Sunnybrook Research Institute, University of Toronto, Toronto, Canada;
- Sergi Borrego-Ecija - Alzheimer's disease and Other Cognitive Disorders Unit, Neurology Service, Hospital Clínic, Barcelona, Spain;
- Jose Bras - Center for Neurodegenerative Science, Van Andel Institute, Grand Rapids, Michigan, MI 49503, USA;

- Alexis Brice - Sorbonne Université, Paris Brain Institute – Institut du Cerveau – ICM, Inserm U1127, CNRS UMR 7225, AP-HP - Hôpital Pitié-Salpêtrière, Paris, France; Reference Network for Rare Neurological Diseases (ERN-RND);
- Rose Bruffaerts - Laboratory for Cognitive Neurology, Department of Neurosciences, KU Leuven, Leuven, Belgium;
- Agnès Camuzat - Sorbonne Université, Paris Brain Institute – Institut du Cerveau – ICM, Inserm U1127, CNRS UMR 7225, AP-HP - Hôpital Pitié-Salpêtrière, Paris, France;
- Marta Cañada - CITA Alzheimer, San Sebastian, Gipuzkoa, Spain
- Valentina Cantoni - Centre for Neurodegenerative Disorders, Neurology Unit, Department of Clinical and Experimental Sciences, University of Brescia, Brescia, Italy;
- Paola Caroppo - Fondazione IRCCS Istituto Neurologico Carlo Besta, Milano, Italy;
- Miguel Castelo-Branco - Faculty of Medicine, University of Coimbra, Coimbra, Portugal;
- Olivier Colliot - Sorbonne Université, Paris Brain Institute – Institut du Cerveau – ICM, Inserm U1127, CNRS UMR 7225, AP-HP - Hôpital Pitié-Salpêtrière, Paris, France; Inria, Aramis project-team, F-75013, Paris, France; Centre pour l'Acquisition et le Traitement des Images, Institut du Cerveau et la Moelle, Paris, France;
- Thomas Cope – Department of Clinical Neuroscience, University of Cambridge, Cambridge, UK;
- Vincent Deramecourt - Univ Lille, France; Inserm 1172, Lille, France; CHU, CNR-MAJ, Labex Distalz, LiCEND Lille, France;
- María de Arriba - Neuroscience Area, Biodonostia Health Research Institute, San Sebastian, Gipuzkoa, Spain;
- Giuseppe Di Fede - Fondazione IRCCS Istituto Neurologico Carlo Besta, Milano, Italy;
- Alina Díez - Neuroscience Area, Biodonostia Health Research Institute, San Sebastian, Gipuzkoa, Spain
- Diana Duro - Faculty of Medicine, University of Coimbra, Coimbra, Portugal;
- Chiara Fenoglio - Fondazione IRCCS Ca' Granda Ospedale Maggiore Policlinico, Neurodegenerative Diseases Unit, Milan, Italy; University of Milan, Centro Dino Ferrari, Milan, Italy;
- Camilla Ferrari - Department of Neuroscience, Psychology, Drug Research, and Child Health, University of Florence, Florence, Italy;
- Catarina B. Ferreira -Laboratory of Neurosciences, Institute of Molecular Medicine, Faculty of Medicine, University of Lisbon, Lisbon, Portugal;
- Nick Fox – Dementia Research Centre, Department of Neurodegenerative Disease, UCL Institute of Neurology, Queen Square, London, UK;
- Morris Freedman - Baycrest Health Sciences, Rotman Research Institute, University of Toronto, Toronto, Canada;
- Giorgio Fumagalli - Fondazione IRCCS Ca' Granda Ospedale Maggiore Policlinico, Neurodegenerative Diseases Unit, Milan, Italy; University of Milan, Centro Dino Ferrari, Milan, Italy;
- Aurélie Funkiewiez - Centre de référence des démences rares ou précoces, IM2A, Département de Neurologie, AP-HP - Hôpital Pitié-Salpêtrière, Paris, France; Sorbonne Université, Paris Brain Institute

- Institut du Cerveau – ICM, Inserm U1127, CNRS UMR 7225, AP-HP - Hôpital Pitié-Salpêtrière, Paris, France;
- Alazne Gabilondo -Neuroscience Area, Biodonostia Health Research Institute, San Sebastian, Gipuzkoa, Spain;
- Roberto Gasparotti - Neuroradiology Unit, University of Brescia, Brescia, Italy
- Serge Gauthier - Alzheimer Disease Research Unit, McGill Centre for Studies in Aging, Department of Neurology & Neurosurgery, McGill University, Montreal, Québec, Canada;
- Stefano Gazzina - Neurology, ASST Brescia Hospital, Brescia, Italy
- Giorgio Giaccone - Fondazione IRCCS Istituto Neurologico Carlo Besta, Milano, Italy;
- Ana Gorostidi - Neuroscience Area, Biodonostia Health Research Institute, San Sebastian, Gipuzkoa, Spain;
- Rita Guerreiro - Center for Neurodegenerative Science, Van Andel Institute, Grand Rapids, Michigan, MI 49503, USA;
- Carolin Heller – Dementia Research Centre, Department of Neurodegenerative Disease, UCL Institute of Neurology, Queen Square, London, UK;
- Tobias Hoegen - Neurologische Klinik, Ludwig-Maximilians-Universität München, Munich, Germany;
- Begoña Indakoetxea - Cognitive Disorders Unit, Department of Neurology, Donostia University Hospital, San Sebastian, Gipuzkoa, Spain; Neuroscience Area, Biodonostia Health Research Institute, San Sebastian, Gipuzkoa, Spain;
- Vesna Jelic - Division of Clinical Geriatrics, Karolinska Institutet, Stockholm, Sweden;
- Hans-Otto Karnath - Division of Neuropsychology, Hertie-Institute for Clinical Brain Research and Center of Neurology, University of Tübingen, Tübingen, Germany;
- Ron Keren -The University Health Network, Toronto Rehabilitation Institute, Toronto, Canada;
- Gregory Kuchcinski - Univ Lille, France; Inserm 1172, Lille, France; CHU, CNR-MAJ, Labex Distalz, LiCEND Lille, France;
- Tobias Langheinrich - Division of Neuroscience and Experimental Psychology, Wolfson Molecular Imaging Centre, University of Manchester, Manchester, UK; Manchester Centre for Clinical Neurosciences, Department of Neurology, Salford Royal NHS Foundation Trust, Manchester, UK;
- Thibaud Lebouvier - Univ Lille, France; Inserm 1172, Lille, France; CHU, CNR-MAJ, Labex Distalz, LiCEND Lille, France;
- Maria João Leitão - Centre of Neurosciences and Cell Biology, Universidade de Coimbra, Coimbra, Portugal;
- Albert Lladó - Alzheimer's disease and Other Cognitive Disorders Unit, Neurology Service, Hospital Clínic, Barcelona, Spain;
- Gemma Lombardi - Department of Neuroscience, Psychology, Drug Research and Child Health, University of Florence, Florence, Italy;
- Sandra Loosli -Neurologische Klinik, Ludwig-Maximilians-Universität München, Munich, Germany;
- Carolina Maruta - Laboratory of Language Research, Centro de Estudos Egas Moniz, Faculty of Medicine, University of Lisbon, Lisbon, Portugal;

- Simon Mead - MRC Prion Unit, Department of Neurodegenerative Disease, UCL Institute of Neurology, Queen Square, London, UK;
- Lieke Meeter - Department of Neurology, Erasmus Medical Center, Rotterdam, Netherlands;
- Gabriel Miltenberger - Faculty of Medicine, University of Lisbon, Lisbon, Portugal;
- Rick van Minkelen - Department of Clinical Genetics, Erasmus Medical Center, Rotterdam, Netherlands;
- Sara Mitchell - Sunnybrook Health Sciences Centre, Sunnybrook Research Institute, University of Toronto, Toronto, Canada;
- Katrina Moore – Dementia Research Centre, Department of Neurodegenerative Disease, UCL Institute of Neurology, Queen Square, London UK;
- Benedetta Nacmias - Department of Neuroscience, Psychology, Drug Research and Child Health, University of Florence, Florence, Italy;
- Annabel Nelson - Dementia Research Centre, Department of Neurodegenerative Disease, UCL Institute of Neurology, Queen Square, London, UK;
- Linn Öijerstedt - Center for Alzheimer Research, Division of Neurogeriatrics, Department of Neurobiology, Care Sciences and Society, Bioclinicum, Karolinska Institutet, Solna, Sweden; Unit for Hereditary Dementias, Theme Aging, Karolinska University Hospital, Solna, Sweden;
- Jaume Olives - Alzheimer's disease and Other Cognitive Disorders Unit, Neurology Service, Hospital Clínic, Barcelona, Spain;
- Sébastien Ourselin - School of Biomedical Engineering & Imaging Sciences, King's College London, London, UK;
- Alessandro Padovani - Centre for Neurodegenerative Disorders, Department of Clinical and Experimental Sciences, University of Brescia, Italy
- Jessica Panman – Department of Neurology, Erasmus Medical Center, Rotterdam, Netherlands;
- Janne M. Papma - Department of Neurology, Erasmus Medical Center, Rotterdam;
- Yolande Pijnenburg - Amsterdam University Medical Centre, Amsterdam VUmc, Amsterdam, Netherlands;
- Cristina Polito - Department of Biomedical, Experimental and Clinical Sciences “Mario Serio”, Nuclear Medicine Unit, University of Florence, Florence, Italy
- Enrico Premi - Stroke Unit, ASST Brescia Hospital, Brescia, Italy
- Sara Prioni - Fondazione IRCCS Istituto Neurologico Carlo Besta, Milano, Italy;
- Catharina Prix -Neurologische Klinik, Ludwig-Maximilians-Universität München, Munich, Germany;
- Rosa Rademakers [as London Ontario geneticist] - Department of Neurosciences, Mayo Clinic, Jacksonville, Florida, USA;
- Veronica Redaelli -Fondazione IRCCS Istituto Neurologico Carlo Besta, Milano, Italy;
- Daisy Rinaldi - Centre de référence des démences rares ou précoces, IM2A, Département de Neurologie, AP-HP - Hôpital Pitié-Salpêtrière, Paris, France; Sorbonne Université, Paris Brain Institute – Institut du Cerveau – ICM, Inserm U1127, CNRS UMR 7225, AP-HP - Hôpital Pitié-Salpêtrière, Paris,

France; Département de Neurologie, AP-HP - Hôpital Pitié-Salpêtrière, Paris, France; Reference Network for Rare Neurological Diseases (ERN-RND);

- Tim Rittman – Department of Clinical Neurosciences, University of Cambridge, Cambridge, UK;
- Ekaterina Rogaea -Tanz Centre for Research in Neurodegenerative Diseases, University of Toronto, Toronto, Canada;
- Adeline Rollin - CHU, CNR-MAJ, Labex Distalz, LiCEND Lille, France;
- Pedro Rosa-Neto -Translational Neuroimaging Laboratory, McGill Centre for Studies in Aging, McGill University, Montreal, Québec, Canada;
- Giacomina Rossi - Fondazione IRCCS Istituto Neurologico Carlo Besta, Milano, Italy;
- Martin Rossor – Dementia Research Centre, Department of Neurodegenerative Disease, UCL Institute of Neurology, Queen Square, London, UK;
- Beatriz Santiago - Neurology Department, Centro Hospitalar e Universitario de Coimbra, Coimbra, Portugal;
- Dario Saracino – Sorbonne Université, Paris Brain Institute – Institut du Cerveau – ICM, Inserm U1127, CNRS UMR 7225, AP-HP - Hôpital Pitié-Salpêtrière, Paris, France; Inria, Aramis project-team, F-75013, Paris, France; Centre de référence des démences rares ou précoce, IM2A, Département de Neurologie, AP-HP - Hôpital Pitié-Salpêtrière, Paris, France;
- Sabrina Sayah - Sorbonne Université, Paris Brain Institute – Institut du Cerveau – ICM, Inserm U1127, CNRS UMR 7225, AP-HP - Hôpital Pitié-Salpêtrière, Paris, France;
- Elio Scarpini - Fondazione IRCCS Ca' Granda Ospedale Maggiore Policlinico, Neurodegenerative Diseases Unit, Milan, Italy; University of Milan, Centro Dino Ferrari, Milan, Italy;
- Sonja Schönecker - Neurologische Klinik, Ludwig-Maximilians-Universität München, Munich, Germany;
- Elisa Semler -Department of Neurology, University of Ulm, Ulm;
- Rachelle Shafei – Dementia Research Centre, Department of Neurodegenerative Disease, UCL Institute of Neurology, Queen Square, London, UK;
- Christen Shoesmith - Department of Clinical Neurological Sciences, University of Western Ontario, London, Ontario, Canada;
- Imogen Swift - Department of Neurodegenerative Disease, Dementia Research Centre, UCL Institute of Neurology, Queen Square, London, UK;
- Miguel Tábuas-Pereira - Neurology Department, Centro Hospitalar e Universitario de Coimbra, Coimbra, Portugal;
- Mikel Tainta - Neuroscience Area, Biodonostia Health Research Institute, San Sebastian, Gipuzkoa, Spain;
- Ricardo Taipa - Neuropathology Unit and Department of Neurology, Centro Hospitalar do Porto - Hospital de Santo António, Oporto, Portugal;
- David Tang-Wai -The University Health Network, Krembil Research Institute, Toronto, Canada;
- David L Thomas - Neuroimaging Analysis Centre, Department of Brain Repair and Rehabilitation, UCL Institute of Neurology, Queen Square, London, UK;

- Paul Thompson - Division of Neuroscience and Experimental Psychology, Wolfson Molecular Imaging Centre, University of Manchester, Manchester, UK;
- Hakan Thonberg - Center for Alzheimer Research, Division of Neurogeriatrics, Karolinska Institutet, Stockholm, Sweden;
- Carolyn Timberlake – Department of Clinical Neurosciences, University of Cambridge, Cambridge, UK;
- Pietro Tiraboschi - Fondazione IRCCS Istituto Neurologico Carlo Besta, Milano, Italy;
- Emily Todd - Dementia Research Centre, Department of Neurodegenerative Disease, UCL Institute of Neurology, UK;
- Philip Van Damme - Neurology Service, University Hospitals Leuven, Belgium; Laboratory for Neurobiology, VIB-KU Leuven Centre for Brain Research, Leuven, Belgium;
- Mathieu Vandenbulcke - Geriatric Psychiatry Service, University Hospitals Leuven, Belgium; Neuropsychiatry, Department of Neurosciences, KU Leuven, Leuven, Belgium;
- Michele Veldsman - Nuffield Department of Clinical Neurosciences, Medical Sciences Division, University of Oxford, Oxford, UK;
- Ana Verdelho - Department of Neurosciences and Mental Health, Centro Hospitalar Lisboa Norte - Hospital de Santa Maria & Faculty of Medicine, University of Lisbon, Lisbon, Portugal;
- Jorge Villanua - OSATEK, University of Donostia, San Sebastian, Gipuzkoa, Spain;
- Carlo Wilke - Department of Neurodegenerative Diseases, Hertie-Institute for Clinical Brain Research and Center of Neurology, University of Tübingen, Tübingen, Germany; Center for Neurodegenerative Diseases (DZNE), Tübingen, Germany;
- Ione Woollacott – Dementia Research Centre, Department of Neurodegenerative Disease, UCL Institute of Neurology, Queen Square, London, UK;
- Elisabeth Wlasich - Neurologische Klinik, Ludwig-Maximilians-Universität München, Munich, Germany;
- Henrik Zetterberg - Dementia Research Institute, Department of Neurodegenerative Disease, UCL Institute of Neurology, Queen Square, London, UK;
- Miren Zulaica - Neuroscience Area, Biodonostia Health Research Insitute, San Sebastian, Gipuzkoa, Spain.