

45. Merle, F., Raphael, P.: On a sharp lower bound on the blow-up rate for the L^2 critical nonlinear Schrödinger equation. *J. Am. Math. Soc.* **19**, 37–90 (2006)
46. Mizumachi, T.: Asymptotic stability of small solitary waves to 1D nonlinear Schrödinger equations with potential. *J. Math. Kyoto Univ.* **48**(3), 471–497 (2008)
47. Nakanishi, K., Phan, T.V., Tsai, T.P.: Small solutions of nonlinear Schrödinger equations near first excited states. *J. Funct. Anal.* **263**, 703–781 (2012)
48. Naumkin, I.P.: Sharp asymptotic behavior of solutions for cubic nonlinear Schrödinger equations with a potential. *J. Math. Phys.* **57**, 051501 (2016)
49. Schlag, W.: Dispersive estimates for Schrödinger operators: a survey. In: *Mathematical Aspects of Nonlinear Dispersive Equations*, *Annals of Mathematical Studies*, 163. Princeton University Press, Princeton, pp. 255–285 (2007)
50. Snelson, S.: Asymptotic stability for odd perturbations of the stationary kink in the variable-speed ϕ^4 model. *Trans. Am. Math. Soc.* **370**, 7437–7460 (2018)
51. Soffer, A., Weinstein, M.I.: Resonances, radiation damping and instability in Hamiltonian nonlinear wave equations. *Invent. Math.* **136**, 9–74 (1999)
52. Soffer, A., Weinstein, M.I.: Selection of the ground state for nonlinear Schrödinger equations. *Rev. Math. Phys.* **16**(8), 977–1071 (2004)
53. Sogge, C.: *Fourier Integrals in Classical Analysis*. Cambridge University Press, Cambridge (1993)
54. Sterbenz, J.: Dispersive decay for the 1D Klein–Gordon equation with variable coefficient nonlinearities. *Trans. Am. Math. Soc.* **368**, 2081–2113 (2016)
55. Tsai, T.P., Yau, H.T.: Asymptotic dynamics of nonlinear Schrödinger equations: resonance dominated and radiation dominated solutions. *Commun. Pure Appl. Math.* **55**, 153–216 (2002)
56. Tsai, T.P., Yau, H.T.: Relaxation of excited states in nonlinear Schrödinger equations. *Int. Math. Res. Not.* **31**, 1629–1673 (2002)
57. Tsai, T.P., Yau, H.T.: Classification of asymptotic profiles for nonlinear Schrödinger equations with small initial data. *Adv. Theor. Math. Phys.* **6**, 107–139 (2002)
58. Tsai, T.P., Yau, H.T.: Stable directions for excited states of nonlinear Schrödinger equations. *Commun. PDE* **27**, 2363–2402 (2002)
59. Taylor, M.: *Pseudo Differential Operators*. Princeton University Press, Princeton (1981)
60. Weder, R.: $L^p - L^{p'}$ estimates for the Schrödinger equation on the line and Inverse Scattering for the Nonlinear Schrödinger equation with a potential. *J. Funct. Anal.* **170**, 37–68 (2000)

Communicated by K. Nakanishi